



























**EALINK****SHENZHEN EALINK TECHNOLOGY CO., LTD.**
















ADD.: 21/F, Tower F, Xinghe World, No1 Yabao Road, Nankeng Community, Bantian Subdistrict, Longgang District, Shenzhen, China.









TEL: +86-755-89356265-831 MOBILE: +86-13424427040 EMAIL: eric.zhou@ealink.com.cn

Type	Model NO.	Pic	Unit Price-Sample	Unit Price-50pcs	Unit Price-500pcs	Specification	Function/Description
2-wire monitor Multi-function	2M2604BK HO		US\$37.00	US\$36.00	US\$35.00	<b>1. Panel:</b> 4.3" LCD <b>2. TFT resolution:</b> 480*272 <b>3. Communication:</b> Digital two wire <b>4. Wire distance:</b> Less than 150m <b>5. Power:</b> DC15-30V <b>6. Power consumption:</b> 4W (MAX), 1.5W (Standby) <b>7. Buttons type:</b> Touch button <b>8. Dimension:</b> 180*112*17MM	1. Non-polarized 2 wire connection 2. Friendly user interface 3. Digital signal transmission 4. 256 photos and 16 videos taking with built-in memory 5. DVR with face detection, motion detection & dynamic frame rate recording 6. EPTZ: Lossless video quality with Zoom in and Move 7. Intercom between the monitors 8. Monitor and door station names can be edited by user 9. Customized ringtone with mp3 file
2-wire monitor with Touch buttons Multi-function	2M33H7BK HA	 <b>NEW!</b>	US\$47.00	US\$47.00	US\$45.00	1. 7" LCD, 1024x600 2. Dimension: 185.8*108*19.4mm	1. Non-polarized 2 wire connection 2. Friendly user interface 3. Digital signal transmission 4. 256 photos and 16 videos taking with built-in memory 5. DVR with face detection, motion detection & dynamic frame rate recording 6. EPTZ: Lossless video quality with Zoom in and Move 7. Intercom between the monitors 8. Monitor and door station names can be edited by user 9. Customized ringtone with mp3 file
	2M34H7BK TA	 <b>NEW!</b>	US\$47.00	US\$47.00	US\$45.00	1. 7" LCD, 1024x600 2. Dimension: 244.7*156.1*19.7mm	
	2M2307BKT O		US\$46.00	US\$46.00	US\$44.00	1. 7" LCD, 800x480 2. Dimension: 185*127*17mm	
	2M2907BKT O		US\$46.00	US\$46.00	US\$44.00	1. 7" LCD, 800x480 2. Dimension: 208*142*22.5mm	
2-wire monitor with Touch screen Multi-function	2M35I1BKC A	 <b>NEW!</b>	Calculating	Calculating	Calculating	1. <b>10" IPS touch screen</b> , 1024x600 2. Dimension: 244.7*156.1*19.7mm	1. Non-polarized 2 wire connection 2. Friendly user interface with full touch screen 3. Digital signal transmission 4. 256 photos and 16 videos taking with built-in memory 5. DVR with face detection, motion detection & dynamic frame rate recording 6. EPTZ: Lossless video quality with Zoom in and Move 7. Intercom between the monitors 8. Monitor and door station names can be edited by user 9. Customized ringtone with mp3 file
	2M34H7BK CA	 <b>NEW!</b>	US\$57.00	US\$57.00	US\$55.00	1. 7" touch screen, 1024x600 2. Dimension: 244.7*156.1*19.7mm	
	2M2307BK CO		US\$56.00	US\$56.00	US\$54.00	1. 7" touch screen, 800x480 2. Dimension: 185*127*17mm	
	2M2907BK CO		US\$56.00	US\$56.00	US\$54.00	1. 7" touch screen, 800x480 2. Dimension: 208*142*22.5mm	
2-wire monitor with Touch screen With App control	2M35I1WK CA	 <b>NEW!</b>	Calculating	Calculating	Calculating	1. <b>10" IPS touch screen</b> , 1024x600 2. Dimension: 244.7*156.1*19.7mm	1. Non-polarized 2 wire connection 2. Friendly user interface with full touch screen 3. Digital signal transmission 4. 256 photos and 16 videos taking with built-in memory 5. DVR with face detection, motion detection & dynamic frame rate recording 6. EPTZ: Lossless video quality with Zoom in and Move 7. Intercom between the monitors 8. Monitor and door station names can be edited by user 9. Customized ringtone with mp3 file 10. <b>Support App control on mobile</b>
	2M34H7WK CA	 <b>NEW!</b>	US\$67.00	US\$67.00	US\$65.00	1. 7" touch screen, 1024x600 2. Dimension: 244.7*156.1*19.7mm	
	2M2307BK CW		US\$66.00	US\$66.00	US\$64.00	1. 7" touch screen, 800x480 2. Dimension: 185*127*17mm	
	2M2907BK CW		US\$66.00	US\$66.00	US\$64.00	1. 7" touch screen, 800x480 2. Dimension: 208*142*22.5mm	
2-wire monitor Support AHD camera Multi-function	2M2907BKT A		US\$52.00	US\$52.00	US\$50.00	1. 7" LCD, 800x480 2. Dimension: 208*142*22.5mm	1. Non-polarized 2 wire connection 2. Friendly user interface 3. Digital signal transmission 4. 256 photos and 16 videos taking with built-in memory 5. DVR with face detection, motion detection & dynamic frame rate recording 6. EPTZ: Lossless video quality with Zoom in and Move 7. Intercom between the monitors 8. Monitor and door station names can be edited by user 9. Customized ringtone with mp3 file 10. <b>Support AHD camera</b>
	2M2907BK CA		US\$62.00	US\$62.00	US\$60.00	1. 7" touch screen, 800x480 2. Dimension: 208*142*22.5mm	

2-wire door station	2D36ACBM 01		US\$37.00	US\$37.00	US\$35.00	<p>1. <b>Camera:</b> 1080P CMOS camera                  2. <b>Night vision:</b> Infrared light(with automatic lumens adjustment)                  3. <b>Viewing Angel:</b> Horizontal 110 degree, Vertical 60 degree                  4. <b>IP Grade:</b> IP66                  5. <b>Communication:</b> Digital 2 wire                  6. <b>Lock control:</b> Support                  7. <b>Operating temperature:</b> - 25 °C to + 60°C                  8. <b>Working voltage:</b> DC 15V-24V                  9. <b>Dimension:</b> 137*49*20mm                  10. <b>Installation method:</b> Surface mounted</p>	<p>1. Digital 2 wire, easy wiring                  2. Support 2 locks                  3. Night vision with automatic lumens adjustment                  4. Aluminum housing with <b>IK08 &amp; IP66</b> high protection level                  5. Support connecting an exit button                  6. Support door status checking</p>
2-wire door station	2D36BCBM 01		US\$42.00	US\$42.00	US\$40.00	<p>1. <b>Camera:</b> 1080P CMOS camera                  2. <b>Night vision:</b> Infrared light(with automatic lumens adjustment)                  3. <b>Viewing Angel:</b> Horizontal 110 degree, Vertical 60 degree                  4. <b>IP Grade:</b> IP66                  5. <b>Communication:</b> Digital 2 wire                  6. <b>Lock control:</b> Support                  7. <b>Operating temperature:</b> - 25 °C to + 60°C                  8. <b>Working voltage:</b> DC 15V-24V                  9. <b>Dimension:</b> 137*49*20mm                  10. <b>Installation method:</b> Surface mounted</p>	<p>1. Digital 2 wire, easy wiring                  2. Support 2 locks                  3. Night vision with automatic lumens adjustment                  4. Aluminum housing with <b>IK08 &amp; IP66</b> high protection level                  5. Support connecting an exit button                  6. Support door status checking                  7. <b>Support RFID access control(ID card)</b></p>
2-wire door station With RFID function	2D39BCBM 01	 <b>NEW!</b>	US\$49.00	US\$49.00	US\$47.00	<p>1. <b>Camera:</b> 1080P CMOS camera                  2. <b>Night vision:</b> Infrared light(with automatic lumens adjustment)                  3. <b>Viewing Angel:</b> Horizontal 110 degree, Vertical 60 degree                  4. <b>IP Grade:</b> IP54                  5. <b>Communication:</b> Digital 2 wire                  6. <b>Lock control:</b> Support                  7. <b>Operating temperature:</b> - 25 °C to + 60°C                  8. <b>Working voltage:</b> DC 15V-24V                  9. <b>Dimension:</b> 241*139*47mm                  10. <b>Installation method:</b> Flush mounted</p>	<p>1. Digital 2 wire, easy wiring                  2. Support 2 locks                  3. Night vision with automatic lumens adjustment                  4. Stainless steel panel with IP54 high protection level                  5. Support connecting an exit button                  6. Support door status checking                  7. Tamper alarm                  8. <b>Support RFID access control(ID card)</b>                  9. <b>Confortale mechanical buttons</b></p>
	2D39BCBM 02	 <b>NEW!</b>	US\$50.00	US\$50.00	US\$48.00	<p>1. <b>Camera:</b> 1080P CMOS camera                  2. <b>Night vision:</b> Infrared light(with automatic lumens adjustment)                  3. <b>Viewing Angel:</b> Horizontal 110 degree, Vertical 60 degree                  4. <b>IP Grade:</b> IP54                  5. <b>Communication:</b> Digital 2 wire                  6. <b>Lock control:</b> Support                  7. <b>Operating temperature:</b> - 25 °C to + 60°C                  8. <b>Working voltage:</b> DC 15V-24V                  9. <b>Dimension:</b> 241*139*47mm                  10. <b>Installation method:</b> Flush mounted</p>	
	2D39BCBM 04	 <b>NEW!</b>	US\$52.00	US\$52.00	US\$50.00	<p>1. <b>Camera:</b> 1080P CMOS camera                  2. <b>Night vision:</b> Infrared light(with automatic lumens adjustment)                  3. <b>Viewing Angel:</b> Horizontal 110 degree, Vertical 60 degree                  4. <b>IP Grade:</b> IP54                  5. <b>Communication:</b> Digital 2 wire                  6. <b>Lock control:</b> Support                  7. <b>Operating temperature:</b> - 25 °C to + 60°C                  8. <b>Working voltage:</b> DC 15V-24V                  9. <b>Dimension:</b> 241*139*47mm                  10. <b>Installation method:</b> Flush mounted</p>	
2-wire door station With RFID function	2D40BCBM 01	 <b>NEW!</b>	US\$39.00	US\$39.00	US\$37.00	<p>1. <b>Camera:</b> 1080P CMOS camera                  2. <b>Night vision:</b> Infrared light(with automatic lumens adjustment)                  3. <b>Viewing Angel:</b> Horizontal 110 degree, Vertical 60 degree                  4. <b>IP Grade:</b> IP54                  5. <b>Communication:</b> Digital 2 wire                  6. <b>Lock control:</b> Support                  7. <b>Operating temperature:</b> - 25 °C to + 60°C                  8. <b>Working voltage:</b> DC 15V-24V                  9. <b>Dimension:</b> 177*94*40mm                  10. <b>Installation method:</b> Surface mounted</p>	<p>1. Digital 2 wire, easy wiring                  2. Support 2 locks                  3. Night vision with automatic lumens adjustment                  4. Aluminum housing with IP54 high protection level                  5. Support connecting an exit button                  6. Support door status checking                  7. Tamper alarm                  8. <b>Support RFID access control(ID card)</b>                  9. <b>Confortale mechanical buttons</b></p>
	2D40BCBM 02	 <b>NEW!</b>	US\$40.00	US\$40.00	US\$38.00	<p>1. <b>Camera:</b> 1080P CMOS camera                  2. <b>Night vision:</b> Infrared light(with automatic lumens adjustment)                  3. <b>Viewing Angel:</b> Horizontal 110 degree, Vertical 60 degree                  4. <b>IP Grade:</b> IP54                  5. <b>Communication:</b> Digital 2 wire                  6. <b>Lock control:</b> Support                  7. <b>Operating temperature:</b> - 25 °C to + 60°C                  8. <b>Working voltage:</b> DC 15V-24V                  9. <b>Dimension:</b> 177*94*40mm                  10. <b>Installation method:</b> Surface mounted</p>	
	2D40BCBM 04	 <b>NEW!</b>	US\$42.00	US\$42.00	US\$40.00	<p>1. <b>Camera:</b> 1080P CMOS camera                  2. <b>Night vision:</b> Infrared light(with automatic lumens adjustment)                  3. <b>Viewing Angel:</b> Horizontal 110 degree, Vertical 60 degree                  4. <b>IP Grade:</b> IP54                  5. <b>Communication:</b> Digital 2 wire                  6. <b>Lock control:</b> Support                  7. <b>Operating temperature:</b> - 25 °C to + 60°C                  8. <b>Working voltage:</b> DC 15V-24V                  9. <b>Dimension:</b> 177*94*40mm                  10. <b>Installation method:</b> Surface mounted</p>	
2-wire door station	2D32ACBM 01		US\$47.00	US\$47.00	US\$45.00	<p>1. <b>Camera:</b> 1080P CMOS camera                  2. <b>Night vision:</b> Infrared light(with automatic lumens adjustment)                  3. <b>Viewing Angel:</b> Horizontal 110 degree, Vertical 60 degree                  4. <b>IP Grade:</b> IP55                  5. <b>Communication:</b> Digital 2 wire                  6. <b>Lock control:</b> Support                  7. <b>Operating temperature:</b> - 25 °C to + 60°C                  8. <b>Working voltage:</b> DC 15V-24V                  9. <b>Dimension:</b> 144*55*20mm                  10. <b>Installation method:</b> Surface mounted</p>	<p>1. Digital 2 wire, easy wiring                  2. Support 2 locks                  3. Night vision with automatic lumens adjustment                  4. Aluminum housing with <b>IK07 &amp; IP55</b> high protection level                  5. Support connecting an exit button                  6. Support door status checking                  7. Tamper alarm</p>
	2D32ACBM 02		US\$48.00	US\$48.00	US\$46.00	<p>1. <b>Camera:</b> 1080P CMOS camera                  2. <b>Night vision:</b> Infrared light(with automatic lumens adjustment)                  3. <b>Viewing Angel:</b> Horizontal 110 degree, Vertical 60 degree                  4. <b>IP Grade:</b> IP55                  5. <b>Communication:</b> Digital 2 wire                  6. <b>Lock control:</b> Support                  7. <b>Operating temperature:</b> - 25 °C to + 60°C                  8. <b>Working voltage:</b> DC 15V-24V                  9. <b>Dimension:</b> 144*55*20mm                  10. <b>Installation method:</b> Surface mounted</p>	
2-wire door station	2D32BCBM 01		US\$52.00	US\$52.00	US\$50.00	<p>1. <b>Camera:</b> 1080P CMOS camera                  2. <b>Night vision:</b> Infrared light(with automatic lumens adjustment)                  3. <b>Viewing Angel:</b> Horizontal 110 degree, Vertical 60 degree                  4. <b>IP Grade:</b> IP55                  5. <b>Communication:</b> Digital 2 wire</p>	<p>1. Digital 2 wire, easy wiring                  2. Support 2 locks                  3. Night vision with automatic lumens adjustment                  4. Aluminum housing with <b>IK07 &amp; IP55</b> high</p>

With RFID function	2D32BCBM02		US\$53.00	US\$53.00	US\$51.00	<p>6. <b>Lock control:</b> Support</p> <p>7. <b>Operating temperature:</b> - 25 °C to + 60°C</p> <p>8. <b>Working voltage:</b> DC 15V-24V</p> <p>9. <b>Dimension:</b> 153.5*101*59.5mm</p> <p>10. <b>Installation method:</b> Surface mounted</p>	<p>protection level</p> <p>5. Support connecting an exit button</p> <p>6. Support door status checking</p> <p>7. Tamper alarm</p> <p>8. <b>Support RFID access control(ID card)</b></p>
Angle Bracket			US\$3.00	US\$3.00	US\$3.00	Angle: 30 degree.	Angle bracket for 2D36 Door station.
2-wire power	PW03A		US\$8.00	US\$8.00	US\$8.00	Input: AC100V-240V 50/60Hz Output: DC24V 1.0A MAX	Din Rail Power
2-wire power	RH-240100EU		US\$5.00	US\$5.00	US\$5.00	Input: AC100V-240V 50/60Hz Output: DC24V 1.0A MAX	Adaper
Bus Extender	PW03C		US\$16.00	US\$16.00	US\$16.00	Input: AC100V-240V 50/60Hz Output: DC24V 4A MAX	<ol style="list-style-type: none"> <li>1. Extender BUS distance</li> <li>2. Support extra monitor or outdoor panel</li> </ol>
Unlock Controller	PW03D		US\$17.00	US\$17.00	US\$17.00	Input: AC100V-240V 50/60Hz Output: DC24V 1A MAX	<ol style="list-style-type: none"> <li>1. Support one DC12V electric lock</li> <li>2. Support one gate opener (Dry Contact)</li> <li>3. Support Unlock button</li> <li>4. Support extra monitor or outdoor panel</li> </ol>
Bus Extender	PW03B		US\$10.00	US\$10.00	US\$10.00	Input: DC24V 4A MAX Output: DC24V 4A MAX	<ol style="list-style-type: none"> <li>1. Extender BUS distance</li> <li>2. Support extra monitor or outdoor panel</li> </ol>
Monitor Distributor	NV20		US\$10.00	US\$10.00	US\$10.00		4 output for connecting indoor monitors.
Din rail power	DR-60-24		US\$10.00	US\$10.00	US\$10.00	Input: 100-240VAC, 1.8A Output: DC24V, 2.5A	Support 12 monitors and distributors.
Din rail power	HDR-100-24		US\$21.00	US\$21.00	US\$21.00	Input: 100-240VAC, 1.8A Output: DC24V, 3.83A	Support 20 monitors and distributors.
Apartment door station	2D38BCBM05		US\$64.00	NO MOQ	NO MOQ	<ol style="list-style-type: none"> <li>1. Viewing angle: 90°</li> <li>2. <b>Surface Mounted</b></li> <li>3. <b>Aluminum front panel</b></li> <li>4. 5 Call Buttons</li> </ol>	Support ID card unlocking.
Apartment door station	2D37BCBM05		US\$64.00	NO MOQ	NO MOQ	<ol style="list-style-type: none"> <li>1. Viewing angle: 90°</li> <li>2. <b>Flush Mounted</b></li> <li>3. <b>Stainless steel front panel</b></li> <li>4. 5 Call Buttons</li> </ol>	Support ID card unlocking.
Apartment door station	2D38BCBM10		US\$69.00	NO MOQ	NO MOQ	<ol style="list-style-type: none"> <li>1. Viewing angle: 90°</li> <li>2. <b>Surface Mounted</b></li> <li>3. <b>Aluminum front panel</b></li> <li>4. 10 Call Buttons</li> </ol>	Support ID card unlocking.
Apartment door station	2D37BCBM10		US\$69.00	NO MOQ	NO MOQ	<ol style="list-style-type: none"> <li>1. Viewing angle: 90°</li> <li>2. <b>Flush Mounted</b></li> <li>3. <b>Stainless steel front panel</b></li> <li>4. 10 Call Buttons</li> </ol>	Support ID card unlocking.
Apartment door station	2D38BCBM10		US\$82.00	NO MOQ	NO MOQ	<ol style="list-style-type: none"> <li>1. Viewing angle: 110°</li> <li>2. <b>Surface Mounted</b></li> <li>3. <b>Aluminum front panel</b></li> <li>4. 10 Call Buttons</li> </ol>	Support ID card unlocking.

Apartment door station	2D37BCBM10		US\$82.00	NO MOQ	NO MOQ	1. Viewing angle: 110° 2. Flush Mounted 3. Stainless steel front panel 4. 10 Call Buttons	Support ID card unlocking.
Apartment door station	2D38BCBM20		US\$92.00	NO MOQ	NO MOQ	1. Viewing angle: 110° 2. Surface Mounted 3. Aluminum front panel 4. 10 Call Buttons	Support ID card unlocking.
Apartment door station	2D37BCBM20		US\$92.00	NO MOQ	NO MOQ	1. Viewing angle: 110° 2. Flush Mounted 3. Stainless steel front panel 4. 10 Call Buttons	Support ID card unlocking.
Apartment door station	2D38BCBT05		US\$77.00	NO MOQ	NO MOQ	1. Viewing angle: 110° 2. Surface Mounted 3. Aluminum front panel 4. 10 Call Buttons	Support ID card unlocking. Support password unlocking.
Apartment door station	2D37BCBT05		US\$77.00	NO MOQ	NO MOQ	1. Viewing angle: 110° 2. Flush Mounted 3. Stainless steel front panel 4. 10 Call Buttons	Support ID card unlocking. Support password unlocking.
Apartment door station	2D38BCBT10		US\$82.00	NO MOQ	NO MOQ	1. Viewing angle: 110° 2. Surface Mounted 3. Aluminum front panel 4. 10 Call Buttons	Support ID card unlocking. Support password unlocking.
Apartment door station	2D37BCBT10		US\$82.00	NO MOQ	NO MOQ	1. Viewing angle: 110° 2. Flush Mounted 3. Stainless steel front panel 4. 10 Call Buttons	Support ID card unlocking. Support password unlocking.
Camera module with RFID function	MO-CA-002		US\$35.00	NO MOQ	NO MOQ		1. Viewing angle: 110° 2. Support ID card unlocking
5 buttons module	MO-B05-001		US\$15.00	NO MOQ	NO MOQ		5 buttons module Stainless steel button
10 buttons module	MO-B10-001		US\$20.00	NO MOQ	NO MOQ		10 buttons module Stainless steel button
5 buttons module	MO-B05-002		US\$15.00	NO MOQ	NO MOQ		5 buttons module Aluminum button
10 buttons module	MO-B10-002		US\$20.00	NO MOQ	NO MOQ		10 buttons module Aluminum button
Keypad Module	MO-KP-001		US\$10.00	NO MOQ	NO MOQ		Support password unlocking.
RFID Module	MO-ID-001		US\$10.00	NO MOQ	NO MOQ		Support 125KHz ID card
Blank Module	MO-NP-002		US\$5.00	NO MOQ	NO MOQ		Blank module

Outer frame	2D38-AC3-002		US\$18.00	NO MOQ	NO MOQ	Aluminum outer frame Surface Mounted for 10 buttons and a camera module with RFID
Outer frame	2D38-AC3-004		US\$18.00	NO MOQ	NO MOQ	Aluminum outer frame Surface Mounted for 15 buttons extension panel
Outer frame	2D37-AC3-002		US\$18.00	NO MOQ	NO MOQ	Stainless steel outer frame Flush Mounted for 10 buttons and a camera module with RFID
Outer frame	2D37-AC3-004		US\$18.00	NO MOQ	NO MOQ	Stainless steel outer frame Flush Mounted for 15 buttons extension panel
Extension panel	2D38-EXT-M15		US\$62.00	NO MOQ	NO MOQ	15 Buttons extension panel, aluminum, surface mounted.
Extension panel	2D38-EXT-M30		US\$77.00	NO MOQ	NO MOQ	30 Buttons extension panel, aluminum, surface mounted.
Extension panel	2D37-EXT-M15		US\$62.00	NO MOQ	NO MOQ	15 Buttons extension panel, stainless steel, flush mounted.
Extension panel	2D37-EXT-M30		US\$77.00	NO MOQ	NO MOQ	30 Buttons extension panel, stainless steel, flush mounted.