



anyone — anytime — anywhere



FARFISA

INTERCOMS SINCE 1967

 **IP EVO**
smarter living



**App
IP EVO**



The **IP EVO system** is designed for multi-user complexes and ensures extremely **easy management and operation**. No IT skills are required for configuration and installation management.

Data security is a priority in the IP EVO project. The external unit communicates with smartphones, digital voice assistants and specific video intercoms and all configurations are possible through **IP EVO app!**



EASY
SETTING






MULTI-USER
COMPLEXES



WebRTC
PROTOCOL

**Ideal
for the
installer
for the
end-user**




TOP
AUDIO VIDEO

ALWAYS ON

REMOTE
MANAGEMENT

5Mpx
OPTIC

High performances





STAINLESS
STEEL

TORX
SCREWS

LEXAN GLASS
DISPLAY

Robustness









POWERED
BY AWS

OBSCURED
PASSWORD

DATA
ENCRYPTION

Cybersecurity

AUDIO/VISUAL
SIGNALING

MULTI-LANGUAGE
VOICE PROMPT

WIDE ANGLE
CAMERA

SKILL
ALEXA

Accessibility



The IP EVO system



The **WebRTC protocol** in the IP EVO system allows the limits of the previous technologies to be overcome. This means that:

- configuration is **extremely simple**, no computer skills required;
- the **audio-video quality is excellent**;
- a sophisticated **data protection** system is guaranteed;
- the system is suitable for **new technologies** integration (for example AI).

The **Connecto** entry door panel is connected with **smartphones, digital voice assistants** and dedicated **Sette videointercoms**.

CONNECTO

anyone. anytime. anywhere

SE77E

ITALIAN VIEW



TD1000CN

Entry door panel made with Aisi 316L stainless steel plate, equipped with 5Mpx camera, multi-language voice prompt, ready for RFID module. PoE or 13 Vac power supply, Ethernet or WiFi connection.
Dim. cm 17 x 37,1 x 0,2

290C/O

Rain shelter for surface mounting.
Dim: cm 17,4 x 37,6 x 8,3



SE4000

Hand-free WiFi IP video intercom, equipped with 7" LCD screen, touch buttons and backlit icons.
Dim. cm 19,4 x 15,7 x 2,5

CNUS01 / CNUS10 / CNUS50 / CNUS100

User package for 1, 10, 50 and 100 users respectively to communicate with mobile devices



STAINLESS
STEEL



TORX
SCREWS



LEXAN
GLASS DISPLAY



5Mpx
OPTIC



SURFACE
MOUNTING



FLUSH
MOUNTING



for the installer



- **remote** system configuration and management
- **unlimited** number of entrance panels, pairing of entrance panels via app.
- **unlimited** number of **internal units**
- PoE power supply
- **web application** for programming and management



MULTI-USER
COMPLEXES




REMOTE
MANAGEMENT



EASY
SETTING




WebRTC
PROTOCOL





up to 8 devices

for the end-user



- **excellent** audio and video quality
- **cybersecurity guaranteed** thanks to: specific chip in the entry door panel, AWS cloud server (Amazon Web Services) developed and managed by Farfisa
- **guaranteed operation** with video intercom, even without internet connection
- simultaneous conversations, simultaneous calls, two-way communication
- up to **8 devices** for each indoor unit
- accessibility: voice prompt, wide-angle lens, audio-visual signals
- **skill Alexa** available

Access via:

App, PIN-Code, QR-Code (even temporary), RFID



TOP
AUDIO VIDEO



ALWAYS ON



REMOTE
MANAGEMENT



AUDIO/VISUAL
SIGNALING



SKILL
ALEXA



WIDE ANGLE
OPTIC



OBSCURED
PASSWORD



DATA
ENCRYPTION




MULTI-LANGUAGE
VOICE PROMPT



POWERED
BY AWS



Example diagram for a multi-family IP EVO installation 2 entry door panels, 1 of which remote.





FARFISA

INTERCOMS SINCE 1967



anyone
anytime
anywhere



MADE IN ITALY

ACI SRL
Via Ezio Vanoni 3
60027 Osimo (AN) Italy
Tel. +39.071.7202038
farfisa.com

