
# DT39 2-Wire Indoor Monitor



#### **DESCRIPTION**

2-wire system 3.9 inch Digital Color TFT Monitor with touch sensor button.

#### **DIMENSION**







#### **FEATURES**

- 3.9 inch TFT with high resolution(800\*480 pixel)
- Ultra-thin design with 19mm thickness
   \*1 Support max.16 languages
- ▶ 2 locks control interface
- Support Video memory via SC6V modular
- ► Call diverting via TPS/GSM
- Support analogue & 2 wire Camera via DCU/SC6
- Compatible with all DT outdoor & Indoor unit
  - \*1 needs customization

### 1. Parts and Functions



LCD Screen	Display the visitors' image	
Touch Sensor Button	Menu navigation and tools setting	
Microphone	Receive voice from the user	
Message Indicator	When the LED On that means unread memory message reminder	
Anti-distrub indicator	Anti-distrub function status indicator	
Power Indicator	Power status indicator	
Unlock button	Press to release the door	
Talk/Mon button	Press to communicate hands free with visitor	
	Press to view the outdoor condition in standby mode	
Speaker	Send out vioce from the visitor	
Mounting hook	Use to hang up the monitor	
Connection port	Bus terminal	



#### L1,L2: Bus terminal


**SW+,SW-:** Door bell call button connection port

DIP switches: Total 6 bits can be configured.

Bit1~Bit5: Used to User Code setting.

**Bit6:** Set to ON if the monitor is at the end of the line or works with DBC4S. Otherwise, set to OFF.

### 2. Monitor Mounting



- Use the screws to fix the Mounting Bracket on the mounting box.(fitting accessories includes a Bracket (Two pieces of 4X25 screws are needed to fasten the Mounting Bracket), Special 2 wire connectors to connect with Monitor)
- 2. Wire the system correctly(refer to connection chapter) then hang the Monitor on the Mounting Bracket firmly.

### 3. Specification

Power supply:
 DC 20~28V

Power consumption: Standby 0.286W; Working status 3.224W

Monitor screen:
 3.9 inch digital color TFT

Display Resolutions: 800(R, G, B) x 480 pixels

Video signal: 1Vp-p, 75Ω, CCIR standard

Wiring: 2 wires, non-polarity

Dimension: 138(H)×138(W)×19(D)mm

## 4. Ordering Information For Monitor



Item	Brief Description	Menu style
DT39/HD4	3.9 inch digital color TFT screen monitor with white housing	Color icon
DT39/HD4-WB	3.9 inch digital color TFT screen monitor with white&black housing	Color icon

### 5. Packing Information



### 6. App: Menu style







