

CETI Full HD, video doorphone set, 4-wire, 7", touch screen, Full HD, RFID reader

Marka: **Virone** | Symbol: **VDP-60FHD** | Ean: **5908254843303**

ViRONE


PRODUCT DESCRIPTION

Single-family video doorphone set CETI with a touch screen and a Full HD camera. This is a versatile and modern device that makes you feel secure as it enables control over entrances to your property. Intended for single-family houses, small companies and institutions. CETI features intuitive 4 -wire connection that facilitates easy and fully safe self-assembly. An electric strike of max. 350mA current consumption is powered directly from the video doorphone; thus, less cables are needed to connect to a wicket.

The video doorphone set CETI is equipped with a big 7-inch touchscreen, surface-mounted inside buildings. Thanks to the touchscreen the use of the device is easy and intuitive. Resolution as high as 1024x600px ensures clear image.

The primary task of the monitor is to control the wicket and a gate with the help of a home screen. The answering machine and memory functions are also a great convenience. A visitor may leave a message while householders are away. The video recording and images of this fact may be registered to internal memory or microSD card.

The 181x181 mm display is made of black and white plastic.

The set may be expanded with an additional screen installed between floors in a large house. An intercom establishes connection between additional monitors and helps householders to communicate inside the building.

The device has 6 different melodies with the possibility of volume control. You may assign an individual call sound to each outdoor unit or the intercom. Authorised persons have convenient access to property with the help of RFID card reader and proximity tags managed by the outdoor unit. There is a possibility to code plenty of proximity tags for each family member (max. 24 proximity tags; the set includes 5 user tags and 2 additional ones).

The CETI outdoor unit is equipped with a camera that has a wide viewing angle of 112° horizontally and 54° vertically. It provides full view in front of the wicket both while calling or monitoring.

The outdoor unit is equipped with motion sensor which registers images and movies after motion near the wicket has been detected. The scene is saved to microSD card. The 1920x1080 Mpx Full HD camera records movies and pictures with a very clear image. IR night vision provides excellent image quality also in the dark.

The 87x168 mm outdoor station is made of aluminium and is equipped with a rain shield. IP55 ingress protection rate ensures durability and weather resistance.

The set may be expanded with additional screens (max. 4 in a set), additional outdoor panel (max. 2 in a set) as well as additional CCTV camera (max. 2 in a set). The expansion provides an effective entry control and monitoring system even when there are two entries to the property. A view on the property is provided with the help of the outdoor unit that may be located wherever near the wicket, and with the help of CCTV camera that may be fixed anywhere you wish.

TECHNICAL DATA

General information:

Type:	jednorodzinny
-------	---------------

With video:	tak
Current supply:	Zasilanie sieciowe
Nominal voltage [V]:	15V DC 1A
Type of transmission:	przewodowy
Can be connected to smartphone:	nie
Installation technique:	System wieloprzewodowy
Number of wires (*from outdoor unit to electric strike):	4 (+2)*
Number of indoor stations:	1
Number of outdoor stations:	1
Expandable to max. number of indoor stations:	4
Expandable to max. number of outdoor stations:	2
Expandable to max. number of CCTV/IP cameras:	2
Operation door lock:	tak
Current supply of the electric strike:	dodatkowy zasilacz niewymagany
Connection system of the electric strike:	z panelem zewnętrznym
With automatic door opener:	tak
With day/night function:	tak

Monitor:

Mounting method indoor station:	Montaż natynkowy
Hands free:	tak
Screen diagonal [inch]:	7"
Screen resolution:	1024x600
Touch screen:	tak
Property picture system:	Kolor
With memory function:	tak
SD card reader:	tak
Internal communication:	tak
Number of ringtones:	6



Specific call tone:	tak
Loudness control:	tak
Mutable call tone:	tak
Material indoor station:	Tworzywo sztuczne
Colour indoor station:	Czarno-biały
Dimensions of the monitor - Width [mm]:	181
Dimensions of the monitor - Height [mm]:	181
Dimensions of the monitor - Depth [mm]:	18
Other features:	automatyczna sekretarka

Outdoor unit:

Number of call buttons:	1
Mounting method outdoor station:	Montaż natynkowy
Camera resolution:	1920x1080
Camera view angle:	112°
Camera view angle:	54°
Night light:	IR
With digital door code:	nie
Card and proximity tags reader:	tak
Frequency of RFID tags:	125kHz
Label space/information surface:	nie
With cover:	tak
Degree of protection (IP):	IP55
Material outdoor station:	Aluminium
Colour outdoor station:	Srebrny
Width [mm]:	87
Height [mm]:	168
Depth [mm]:	40
Other features:	RFID - max. 24 użytkowników (breloki w zestawie: 5 użytkownika + 2 administracyjne)





