

## ENIR, single family audio doorphone set, 2-wire, DIN rail power supply, RFID, white



Marka: **ORNO Home** | Symbol: **OR-DOM-BA-935ZD/W** | Ean: **5908254847646**



### PRODUCT DESCRIPTION

The ENIR door phone set is a comprehensive solution designed for single-family houses, which provides sense of security and comfortable management of access to the property.

The outdoor unit and the electric strike are controlled from the indoor unit; thus, there is no need to provide additional power supply or run wires throughout the garden. An easy and smooth installation of the set is possible, thanks to 2 wire connection. Cables for controlling gate and wicket are led directly to the outdoor

unit. As a result, even a bell installation may be used to connect the ENIR set.

The indoor unit enables remote control over a wicket and a gate, and the RFID system supporting 13,56MHz cards and tags facilitates the operation of the device and allows independent control of the wicket and secure access management for household members or authorised users.

A DIN-rail power supply is also included for easy installation in the electrical switchboard. This solution provides a stable and secure power supply to the entire doorphone system. Thanks to the cables hidden in the wall, the installation of the device is aesthetic.

The outdoor unit is resistant to water splashing and weather conditions. It has IP65 rate which guarantees reliable operation for years. It is narrow (48mm wide), hence it may be placed even on a small fence post, or in a small niche. Black colour.

The surface-mounted indoor unit is made of high-quality material, which is not only aesthetic but, first of all, durable and dirt resistant. The design of ENIR set is simple and classic, and the white colour perfectly fits in almost every interior. The handset is firmly hanged and very handy. The device offers a number of conveniences, such as ringtone volume regulation or possibility of muting it, e.g. during child's nap.

## TECHNICAL DATA

### General information:

<b>Type:</b>	jednorodzinny
<b>With video:</b>	nie
<b>Current supply:</b>	Zasilanie sieciowe
<b>Nominal voltage:</b>	18V DC
<b>Type of transmission:</b>	przewodowy
<b>Can be connected to smartphone:</b>	nie
<b>Installation technique:</b>	Dwużyłowe
<b>Number of wires:</b>	2
<b>Number of indoor stations:</b>	1
<b>Number of outdoor stations:</b>	1
<b>Expandable to max. number of indoor stations:</b>	1
<b>Expandable to max. number of outdoor stations:</b>	1
<b>Operation door lock:</b>	tak

<b>Current supply of the electric strike:</b>	dodatkowy zasilacz niewymagany
<b>Connection system of the electric strike:</b>	z panelem zewnętrznym
<b>With automatic door opener:</b>	tak

## Indoor unit:

<b>Mounting method indoor station:</b>	Montaż natynkowy
<b>Hands free:</b>	nie
<b>Internal communication:</b>	nie
<b>Number of ringtones:</b>	1
<b>Loudness control:</b>	tak
<b>Mutable call tone:</b>	tak
<b>Material indoor station:</b>	Tworzywo sztuczne
<b>Colour indoor station:</b>	Biały
<b>Width [mm]:</b>	70
<b>Height [mm]:</b>	201
<b>Depth [mm]:</b>	47

## Outdoor unit:

<b>Number of call buttons:</b>	1
<b>Mounting method outdoor station:</b>	Montaż natynkowy
<b>Card and proximity tags reader:</b>	tak
<b>Frequency of RFID tags:</b>	13,56MHz
<b>Label space/information surface:</b>	tak
<b>With cover:</b>	tak
<b>Degree of protection (IP):</b>	IP65
<b>Material outdoor station:</b>	Stal nierdzewna + aluminium
<b>Colour outdoor station:</b>	Czarny
<b>Width [mm]:</b>	53
<b>Height [mm]:</b>	138

Depth [mm]:

28







